Driver's Guide to Asset Inspection

Drivers must complete Asset Inspections of their vehicles and/or trailers. If defects are identified and repairs are required, appropriate personnel must review the inspection, take corrective action on any defects found, and update the inspection report as required.

For the most up-to-date version of this document, go to https://goo.gl/BQzv9X

! IMPORTANT: Drivers must perform an asset inspection to take corrective action on any identified issues and update the inspection report with notes about repairs made or deemed unnecessary. If the asset requires repairs, the appropriate staff member must review the inspection. You must have the required security clearance to perform or certify an inspection or to repair defects. To learn more, contact your administrator.

New Inspection With or Without Defects



Step 3: Certify previous inspection (USA)

Before performing a new inspection, you must certify the previous inspection if any defects were either reported or repaired. Review the repairs and then press **Certify previous inspection**. You also have the option of pressing **Select a new asset** if the previously reported defects were not all repaired.

Resolved defects	Resolved ✓
Brakes (Service) Leaking fluid	
Puddle under rear driver side brakes.	
It can wait until next service	
Repair not necessary for the safe operation of the vehicle (mean 10:18 AM)	hanic, February 25, 2022
Driver certification	
Add a remark	
Select a new asset	previous inspection

Step 4: New Inspection	New inspection		
First, select the inspection type and checklist type.	Pre-tripIn-tripPost-tripChecklist typeDefault Trailer Defects List		
If you find no defects when you inspect your vehicle,	Required checklist		
press the No defects checkbox next to each required item (if present), and then press No Major or Minor	• blakes No defects* • wheel No defects*		
defects found at the bottom of the screen.	Save New Inspection		
	No Major or Minor defects found		
If you find defects when you inspect your vehicle,	▼ Tires 1 defect		
select all defects that apply. Expand a defect category to select specific defects and add remarks. Optionally,	Bulging or swelling Remove Image: Add a remark Image: Add a remark		
press the camera icon to upload or take a new picture of the defect.	Flat or leaking air Add Defect		
Ensure that the odometer and engine hours are	Other Information		
correct, or manually update the values if they are incorrect. Specify the load height and width, if	Odometer 163646.0 km		
applicable.	Engine Hours 19899.5 h		
	Height of load m		
	m		

When you have recorded all defects, record any additional remarks and press Done at the bottom of the screen.	Save New Inspection Add a remark
Finally, press Yes to verify that the vehicle was inspected in compliance with regulations.	Sign Asset Inspection This vehicle was inspected in accordance with regional and/or federal regulations. No Yes
* NOTE: Once an inspection has begun, your duty status w	vill automatically switch to On Duty.

Repairing defects

! IMPORTANT: The steps below require the **Mark Asset Inspection logs as repaired** clearance. If you do not have this clearance, contact your Administrator.



Step 3: Resolving defects	Previous inspection Needs Repair	
Select the appropriate resolution and add a remark	This vehicle was inspected in accordance with regional and/or federal regulations.	
with a detailed explanation. Once all defects have been resolved, press Save .	Expand previous inspection	
	A Before you certify the Asset Inspection or perform new inspections, resolve all regulated defects. Please contact your Administrator for more information.	
	Unresolved defects	
	 ▼ Tires 1 defect 	
	Flat or leaking air	
	Rear driver side completely flat Not repaired	
	Repaired or not a defect Repair not necessary for the safe operation of the vehicle	
	Add a remark	
	🗲 Save	
! IMPORTANT: If the defect is considered critical, an alert v	with red defect text is displayed at the top of the screen.	